





RINGANKER IN U-STEINEN

B

RR DN100

BRH 1.00/ +6.40<sup>b</sup>

DACHTERRASSE 1 413

F=9.91 U=14.58  
B: BIT., DAMM., FOLIE, SPULT., PLATTEN  
W: PUTZ/ ZIEGEL

OKF +5.42  
OKR +5.23

2.20<sup>b</sup>  
1.96<sup>b</sup>

OTTERPOST

BRH 34

BRH 34

STUDIO 412

F=18.23 U=21.44  
B: SPACHTEL, TSD  
W: GK-WAND  
D: GK-WAND  
LH=2.225

PFEILN 12/24

RINGANKER 17<sup>b</sup>/24

PFETTEN 12/24

UK ZIEGELFASADE +J.72

30  
14

30

1.50

50

10

2.98

30

4.62

4.62

5.22

14STG  
18.7/26

10

15<sup>75</sup>

88<sup>b</sup>

2.01

15<sup>75</sup>

10

1.00

10

1.40

OKF +5.25  
OKR +5.23

RINGANKER 24/24

FLUR DG 412.1

F=1.00 U=4.00  
B: SPACHTEL, TSD  
W: GK-WAND  
D: GK-WAND  
LH=2.225

BRH 34

ZIEGELFASADE

1.50

10

3.78

RR

DN70

30

14

30

3.07<sup>b</sup>

2.83<sup>b</sup>

DACHTERRASSE 2 414

F=14.94 U=15.28  
B: BIT., DAMM., FOLIE, SPULT., PLATTEN  
W: PUTZ/ ZIEGEL

OKF +5.42  
OKR +5.23

offene Rinne

BRH / +6.40<sup>b</sup>

BRH 1.00/ +6.40<sup>b</sup>

14

